

ICE MODELS: C51=GHM and C6 = COL


FULL REFLECTANCE

$\Theta > 90^\circ$ (2° bins)


CH-2

$r_e = 10\mu\text{m}$
$r_e = 20\mu\text{m}$
$r_e = 40\mu\text{m}$
$r_e = 50\mu\text{m}$

$\tau = 1.0$



$\tau = 53$



ICE MODELS: C51=GHM and C6 = COL


MS REFLECTANCE

$\Theta > 90^\circ$ (2° bins)


CH-2

$r_e = 10\mu\text{m}$
$r_e = 20\mu\text{m}$
$r_e = 40\mu\text{m}$
$r_e = 50\mu\text{m}$

$\tau = 1.0$



$\tau = 53$



ICE MODELS: C51=GHM and C6 = COL


SS REFLECTANCE

$\Theta > 90^\circ$ (2° bins)


CH-2

$r_e = 10\mu\text{m}$
$r_e = 20\mu\text{m}$
$r_e = 40\mu\text{m}$
$r_e = 50\mu\text{m}$

$\tau = 1.0$



$\tau = 53$



ICE MODELS: C51=GHM and C6 = COL


FULL REFLECTANCE

$\Theta > 90^\circ$ (2° bins)


CH-7

$r_e = 10\mu\text{m}$
$r_e = 20\mu\text{m}$
$r_e = 40\mu\text{m}$
$r_e = 50\mu\text{m}$

$\tau = 1.0$




$\tau = 53$



ICE MODELS: C51=GHM and C6 = COL

MS REFLECTANCE



ICE MODELS: C51=GHM and C6 = COL


SS REFLECTANCE

$\Theta > 90^\circ$ (2° bins)

CH-7

$r_e = 10\mu\text{m}$
$r_e = 20\mu\text{m}$
$r_e = 40\mu\text{m}$
$r_e = 50\mu\text{m}$

$\tau = 1.0$



$\tau = 53$

